CV-112

12.1" TFT SVGA 4:3 Display Module with Resistive 5-wire / Projected Capacitive Touch



Key Features

- 12.1" TFT SVGA 4:3 LCD with Resistive 5-wire / Projected
 Capacitive Touch
- 50,000 hrs LED Backlight Life
- Resolution up to 800 x 600 (SVGA)
- 450 nits Brightness
- Designed with Aluminum Die-cast Front Frame
- IP 65 Compliant Front Panel
- · Convertible Display System (CDS) Supported

>>> Overview

CV-112 is 12.1" LCD display module with resistive 5-wire / projected capacitive touch screen. It offers resolution up to 800x600 (SVGA) and 450 nits brightness. CV-112 features flat surface and IP65 dust/waterproof front panel. In addition, designed with aluminum die-cast front frame, it is rugged and reliable for industrial environment. With support for Convertible Display System (CDS) technology, CV-112 allows you to configure, upgrade and maintain your Convertible Display System easily.

>>> Specifications

Display

• LCD Size: 12.1" (4:3)

• Max. Resolution: 800 x 600

• Brightness (cd/m2): 450

• Contrast Ratio: 800 : 1

• LCD Color: 262K

• Pixel Pitch (mm): 0.3075 (H) x 0.3075 (V)

• Viewing Angle (H-V): 160 / 140

• Backlight MTBF: 50000 hrs (LED Backlight)

Touch

• Resistive 5-wire Touch for CV-112R Only

• Projected Capacitive Touch for CV-112C Only

Environment

- Operating Temperature: Ambient with Air Flow: -20°C to 70°C (with Industrial Grade Peripherals)
- Storage Temperature: -30°C to 80°C
- Relative Humidity: 90% RH @ 40°C (non-condensing)
- IP Level: IP 65 Compliant Front Panel

Physical

• Dimension (WxHxD, mm): 345 x 265.3 x 57 mm

• Weight: 3.16 kg

• Construction Front Panel: Die-cast Flat Surface


Certification

• CE


• FCC Class A



>>> External Mechanical Layout



>>> Dimensions



>>> Ordering Information

Available Models

Model No.	Product Description
CV-112R	12.1" TFT SVGA 4:3 Display Module with Resistive 5-wire Touch
CV-112C	12.1" TFT SVGA 4:3 Display Module with Projected Capacitive Touch

Package Checklist

CV-112 Display Module x 1
 Panel Mounting Kit x 1